



LIVE COLLECTION

ISO 9001 : 2000 and C€ MARKING REGISTERED FIRM

SM600-N

Automatic Prong Snap Attaching Machine



Applicable Materials



Specification

Motor specification	AC220V, 1PH, 90W, 50/60Hz
Dimension	400mm × 400mm × 600mm × 2units
N.weight	53Kg × 2units
Work speed	100~120 pcs/min

Features

- One Set : Two machines
- For Y-Shirts, Infant's Apparel
- Both Metal and Plastic snaps to be available.
- Order made model : The order is required the snap sample at least 2,000 sets from User.

SM600

Automatic Ring/Spring Snap Attaching Machine



Specification

Motor specification	AC220V, 1PH, 50/60Hz, 250W, 1/3HP
Dimension	500mm×400mm×1,300mm×2units
N.weight	90Kgs x 2 units
Work speed	50~110 pcs/min

Applicable Materials

S-Spring snap fasteners



Cap

Socket

Stud

Post

Spring Snap



Ring snap




Features

- One Set : Two machines
- 13mm, 14mm and 15mm ring/spring snap buttons can be attached with one set machine.
- It makes a beginner do attach the spring snap button very easily without any difficulty regardless of snap buttons quality.
- Order made model : The order is required the snap sample at least 2,000 sets from User.

SM700**Multiple Full Automatic
Rivet/Snap Attaching Machine****Specification**

Motor specification	AC220V, 1PH, 50Hz/60Hz, 250w, 1/3Hp
Dimension	660mm×460mm×1,250mm
N.weight	120Kg
Work speed	100~130 pcs/min

Applicable Materials**Features**

- There is need to change any device and other machine when using different type of rivet.
- Designed to attach every kinds of rivet snaps with only one machine.
- No error by laser light marking and easy control.
- High productivity by speedy and accurate attaching without error.
- Order made model : The order is required the snap sample at least 2,000 sets from User.



SM1000-N

Automatic Rivet/Snap Attaching Machine





Specification

Motor specification	AC220V, 1PH, 50Hz/60Hz, 250W, 1/3HP
Dimension	400mm×400mm×1,300mm
N.weight	85Kg
Work speed	100~130 pcs/min

Applicable Materials



Features

- The operator can choose the type of snap, either  or .
- The improved power diminished the noise as well as the errors that occur during the high speed operation.
- Possible to remodel it by request.
- Order made model : The order is required the snap sample at least 2,000 sets from User.

SM900-N


Automatic Tack Metall Button Attaching Machine



Specification

Motor specification	AC220V, 1PH, 50Hz/60Hz, 250W, 1/3HP
Dimension	400mm×400mm×1,300mm
N.weight	85Kg
Work speed	70~100 pcs/min

Features



Applicable Materials

- Low cost solution to attach all kinds of metal buttons.
- One touch and safe snap attaching machine.
- Applicable to jeans, casual trousers, pants, women's wear & children wear.
- Ease operation & lower maintenance.
- Order made model : The order is required the snap sample at least 2,000 sets from User.

SM1000-1

Automatic Eyelet & Washer Punching and Attaching Machine



Specification

Motor specification	AC220V, 1PH, 50Hz/60Hz, 250W, 1/3HP
Dimension	400mm×400mm×1,300mm
N.weight	85Kg
Work speed	100~130 pcs/min

Applicable Materials



Features

- Processes punching fabric and striking eyelets (Capsule and Washer) at one time.
- After punching made, the remains of fabric is processed automatically. (Patented)
- Various kinds of fabric from jeans to thin cloth are eyeletted beautifully.
- Available size : One of eyelet sizes #1, #2, #3 to be selected by customer.
other special eyelet size to be available by request
- Order made model : The order is required the snap sample at least 2,000 sets from User.

SM1000-2

Automatic Eyelet Punching and Attaching Machine

Specification

Motor specification	AC220V, 1PH, 50Hz/60Hz, 250W, 1/3HP
Dimension	400mm×400mm×1,300mm
N.weight	80Kg
Work speed	100~130 pcs/min

Applicable Materials

- Processes punching fabric and striking eyelets (Capsule and Washer) at one time.
- After punching made, the remains of fabric is processed automatically. (Patented)
- Various kinds of fabric from jeans to thin cloth are eyeletted beautifully.
- Available size : One of eyelet sizes #1, #2, #3 to be selected by customer.
other special eyelet size to be available by request
- Order made model : The order is required the snap sample at least 2,000 sets from User.

Features



SM1000-3

Automatic Eyelet & Washer Punching and Attaching Machine

Specification

Motor specification	AC220V, 1PH, 50Hz/60Hz, 250W, 1/3HP
Dimension	400mm×400mm×1,300mm
N.weight	85Kg
Available size	15mm, 20mm (Select one size)
Work speed	100~120 pcs/min

Applicable Materials


- Processes punching fabric and striking eyelets and washers at the same time
- After punching made, the remains of fabric is processed automatically. (Patented)
- Various kinds of fabric from jeans to thin cloth are eyeletted clearly.
- Order made model : The order is required sample of eyelet and washer from the User and required qty is at least 2,000 sets.

Features



SM 888-N

Ultrasonic Hot-Fix Setting Machine Single Hopper



Specification

Power	AC 220V, 1PH, 50/60Hz
Air	5~6kg/cm ²
Work speed	20~120pcs/min.
Available rhinestone size	SS6(2mm)~SS30(6mm)
Working board	300×400mm(big), 300×130mm(small)
Dimension	600×550×1,100mm
Weight	51Kgs(Net) / 60Kgs(Gross)

Features


- High Speed & Accuracy, and speed to be changeable by user easily.
- "Auto", "Press", "Manual" Mode selectable
- "RESET" function for returning to initial setting parameters
- Easy & Simple Operation method for beginners
- Function to be upgraded simply by software
- Enhanced Air drying system & Auto drainage

Applicable Materials


Rhinestone



Octagon



Half Round



Specification

Power	AC 220V, 1PH, 50/60Hz
Air	5~6kg/cm ²
Work speed	20~120pcs/min.
Available rhinestone size	SS6(2mm)~SS30(6mm)
Working board	300×400mm(big), 300×130mm(small)
Dimension	660×560×1,300mm
Weight	62Kgs(Net), 70Kgs(Gross)

Features

- Rotating plate (Tray) UP-DOWN MOVE easily by turning the control knob for adjusting the gap between stone and plate. (Patented)
- Working Board Automatic Sliding System only by one touch button.
- "Auto", "Press", "Manual" Mode selectable "RESET" function for returning to initial setting parameters
- Easy & Simple Operation for beginners
- Function to be upgraded simply by software
- Enhanced Air drying system & Auto drainage

Applicable Materials

Rhinestone



Octagon




Half Round



SM 888-P

All in One Hot-Fix Setting Machine by Ultrasonic & Electric heat system : Double Hopper




LINOY SM888-P

Table top Hot-Fix setting machine by Ultrasonic system with Double Hopper




Specification

Power	AC 220V, 50/60Hz
Work speed	50~130pcs/min.
Dimension	500×500×450mm
Net Weight	28kgs
2 working boards to be supplied basically	300×230mm & 130×230mm



Specification

Power	AC 220V, 50/60Hz
Work speed	50~130pcs/min.
Dimension	500×500×450mm
Net Weight	20kgs
2 working boards to be supplied basically	300×230mm & 130×230mm



LINOY SM888-N

Table top Hot-Fix setting machine by Ultrasonic system with Single Hopper



SM705

Automatic Nailhead Setting Machine



Specification


Power	AC 220V, 1PH, 50/60Hz
Air	5~6kg/cm ²
Work speed	40~100pcs/min.
Available nailhead size	2.3mm~8mm bychanging Conversion kit (option)
Dimension	400×400×1,300mm
Weight	41Kgs

Applicable Materials

Women's wears, Underwears, Children's wears, Label Embroideries, T-shirts, Jeans, Belts, Bags, Caps, Accessories, etc.



Conversion Kit (Option)



Specification

Power	AC 220V, 1PH, 50/60Hz
Air	5~6kg/cm ²
Work speed	40~120pcs/min.
Available nailhead size	4mm, 5mm, 6mm, 8mm, 10mm bychanging
Dimension	400×400×1,300mm
Weight	50Kgs

Applicable Materials

Women's wears, Underwears, Children's wears, Label Embroideries, T-shirts, Jeans, Belts, Bags, Caps, Accessories, etc.


Pearl



Pin



Change parts for different pearl size



SM706-R

Automatic Pearl Setting Machine





World Top Quality
World Top Service
World Top Technology

 **SEUNG MIN INDUSTRIAL CO., LTD.**

OFFICE & FACTORY

5, Gyeongchun-ro 16beon-gil, Guri-si, Gyeonggi-do, Korea
POST CODE: 11953
TEL: (82-31) 562-8400 FAX: (82-31) 562-8401
<http://www.seungminsm.co.kr>
E-Mail: seungminsm@korea.com

AGENT